

MATERIAL SAFETY DATA SHEET

in accordance with Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 (REACH), Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 and Commission Regulation (EU) No 2020/878 of 18 June 2020

Fragrance Pina Colada

Version No. EN 6

Dated: 14.10.2024.

Printed: 16-01-25

IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING:

1.1. Product identifier:

MIXTURE IDENTIFICATION: Fragrance, flavour, auto cosmetology, industrial and home chemistry

TRADE NAME: Fragrance Pina Colada

Product number

UFI Code AEFT-9134-M00V-8M11

1.2. RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST:

RECOMMENDED USE: Aromatic ingredient for household chemicals and cosmetics. Manufacturing use only, not for direct consumption as such.

USES ADVISED AGAINST Do not use in food.

1.3. DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET:

**COMPETENT PERSON
RESPONSIBLE FOR THE MATERIAL
SAFETY DATA SHEET:
ADDRESS OF THE SUPPLIER:
TELEPHONE NUMBER OF THE
SUPPLIER:
E-MAIL OF THE SUPPLIER:**

1.4. EMERGENCY CONTACTS:

IN CASE OF INTOXICATION: LATVIA - State fire and rescue service: (+371) 112; (+371) 113;
The national poison information center: +371 67042468;
GERMANY - International emergency number: +49 180 2273-112.
Transport Emergency phone number: (24 h service),
phone: +49 621 60-43333;
UNITED KINGDOM - National Poisons Information Service (24 h service),
phone: +44 (0) 844-892-0111 (UK only);
FRANCE - INRS FRANCE: phone: +33 (0)1 45 42 59-59.
FOR OTHER EU COUNTRIES, please consult:
http://echa.europa.eu/help/nationalhelp_contact_en.asp

SECTION 2 - HAZARDS IDENTIFICATION

2.1. CLASSIFICATION OF THE SUBSTANCE OR MIXTURE


Classification according to regulation (EC) No 1272/2008 (CLP)

| | | |
|--------------------|---|------|
| Product definition | Mixture | |
| | Skin Sens. 1B. May cause an allergic skin reaction. | H317 |
| | Aquatic Chronic 2 | H411 |

2.2. LABEL ELEMENTS

Labelling according to Regulation (EC) (CLP)

Hazard pictograms:



Signal word Warning

Hazard statements

H317 Skin Sens. 1B. May cause an allergic skin reaction.

H411 Aquatic Chronic 2

Precautionary statements (Prevention and Intervention)

P261 Avoid breathing dust/fumes/gas/mist/vapours/spray. [As modified by IV ATP]

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection. [As modified by IV ATP]

P273 Avoid release to the environment.

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS3.1 **SUBSTANCES:** Mixture of natural, nature identical and synthetic aromatic products.3.2 **MIXTURES:** Mixture of natural and synthetic aromatic ingredients.

CAS : EINECS :

3.2 Hazardous components:

| INGREDIENTS | % | CAS No. / EC No. Index No. / REACH No. | Classification REGULATION (EC) No 1272/2008 |
|----------------------------------|--------|--|--|
| Mineral oil | <28% | CAS No. 8042-47-5 EC No. 232-455-8 Index No. REACH No. | |
| Musk 50 IPM | <3,74% | CAS No. 1222-05-5 EC No. 214-946-9 Index No.603-212-00-7 REACH No.01-2119488227-29-xxxx | Aquatic Chronic 1:H410 Aquatic Acute 1:H400 M Chr=1 |
| Ethylene Brassylate | <1,68% | CAS No. 105-95-3 EC No. 203-347-8 Index No. REACH No.01-2119976314-33-xxxx | Aquatic Chronic 3 :H412 |
| Orange Oil 100% pure and natural | <1,57% | CAS No. 8008-57-9 8028-48-6 EC No. 232-433-8 Index No. REACH No.01-2119493353-35-xxxx | Aquatic Chronic 2:H411 Skin Sens. 1:H317 Flam. Liq. 3:H226 Skin Irrit. 2:H315 Asp. Tox. 1 :H304 |
| D-Limonene | <1,31% | CAS No. 5989-27-5 8028-48-6 EC No. 227-813-5 Index No.601-096-00-2 REACH No.01-2119529223-47-xxxx | Flam. Liq. 3:H226 Skin Sens. 1B:H317 Skin Irrit. 2:H315 Aquatic Acute 1:H400 Asp. Tox. 1 :H304 Aquatic Chronic 3 :H412 M=1 |
| Coumarine | <0,78% | CAS No. 91-64-5 EC No. 202-086-7 Index No. REACH No.01-2119943756-26-xxxx | Skin Sens. 1:H317 Acute Tox. 4 ORAL H302 :H302 Aquatic Chronic 3 :H412 |

| | | | |
|--|--------|---|--|
| Allyl Caproate | <0,72% | CAS No. 123-68-2 EC No. 123-68-2 Index No. REACH No. | Aquatic Chronic 2:H411 Acute Tox. 3 SKIN:H311 Aquatic Acute 1:H400 Aquatic Chronic 3 :H412 Acute Tox. 3 ORAL:H301 Acute Tox. 3 INHALATION:H331 M=1 |
| Hexyl Cinnamic Aldehyde Alpha | <0,42% | CAS No. 101-86-0 165184-98-5 EC No. 202-983-3 Index No. REACH No.01-2119533092-50-xxxx | Aquatic Chronic 2:H411 Skin Sens. 1:H317 Aquatic Acute 1:H400 M=1 M Chr=1 |
| Benzyl Salicylate | <0,4% | CAS No. 118-58-1 EC No. 204-262-9 Index No. REACH No.01-2119969442-31-xxxx | Skin Sens. 1B:H317 Eye Irrit. 2:H319 Aquatic Chronic 3 :H412 |
| Amberwood F (Boisambrene Forte) | <0,32% | CAS No. 58567-11-6 EC No. 261-332-1 Index No. REACH No.01-2119971571-34-xxxx | Aquatic Chronic 2:H411 Skin Sens. 1B:H317 Skin Irrit. 2:H315 |
| Sandal Mysore Core (Landalmysore Core) | <0,3% | CAS No. 28219-60-5 EC No. 248-907-2 Index No. REACH No.01-2120273309-51-xxxx | Aquatic Chronic 1:H410 Eye Irrit. 2:H319 Aquatic Acute 1:H400 |
| Benzyl Benzoate | <0,26% | CAS No. 120-51-4 EC No. 204-402-9 Index No. REACH No.01-2119976371-33-xxxx | Aquatic Chronic 2:H411 Acute Tox. 4 ORAL H302 :H302 Aquatic Acute 1:H400 |
| Ethyl Acetate | <0,26% | CAS No. 141-78-6 EC No. 205-500-4 Index No. REACH No.01-2119475103-46-xxxx | Eye Irrit. 2:H319 Flam. Liq. 2:H225 STOT SE 3 (H336):H336 |
| Isoamyl Acetate | <0,22% | CAS No. 123-92-2 EC No. 204-662-3 Index No. REACH No.01-2119548408-32-xxxx | Flam. Liq. 3:H226 |
| Fixolide (Kevolid, Tonalid) | <0,2% | CAS No. 21145-77-7 1506-02-1 EC No. 244-240-6/216-1 Index No. REACH No.01-2119539433-40-xxxx | Aquatic Chronic 1:H410 Acute Tox. 4 ORAL H302 :H302 Aquatic Acute 1:H400 M=1 |
| Linalool | <0,18% | CAS No. 78-70-6 EC No. 201-134-4 Index No.603-235-00-2 REACH No.01-2119474016-42-xxxx | Skin Sens. 1B:H317 Skin Irrit. 2:H315 Eye Irrit. 2:H319 |
| Allyl Cyclo Hexyl Propionate | <0,16% | CAS No. 2705-87-5 EC No. 220-292-5 Index No. REACH No.01-2119976355-27-xxxx | Aquatic Chronic 1:H410 Acute Tox. 4 ORAL H302 :H302 Skin Sens. 1B:H317 Aquatic Acute 1:H400 Acute Tox. 4 INHALATION:H332 Acute Tox. 4 SKIN:H312 M=1 M Chr=1 |
| Benzyl Alcohol | <0,11% | CAS No. 100-51-6 EC No. 202-859-9 Index No.603-057-00-5 REACH No. 01-2119492630-38-xxxx | Acute Tox. 4 ORAL H302 :H302 Acute Tox. 4 INHALATION:H332 |
| Methyl Amyl Ketone | <0,1% | CAS No. 110-43-0 EC No. 203-767-1 Index No. REACH No. | Acute Tox. 4 ORAL H302 :H302 Flam. Liq. 3:H226 STOT SE 3 (H335):H335 Acute Tox. 4 INHALATION:H332 |
| Benzyl Acetate | <0,05% | CAS No. 140-11-4 EC No. 205-399-7 Index No. REACH No.01-2119638272-42-xxxx | Aquatic Chronic 3 :H412 |

| | | | |
|------------------------------------|---------|---|---|
| Alcohol C-8 | <0,05% | CAS No. 111-87-5 EC No. 203-917-6 Index No. REACH No.01-2119486978-10-xxxx | Eye Irrit. 2:H319 Aquatic Chronic 3 :H412 |
| BHT | <0,05% | CAS No. 128-37-0 EC No. 204-881-4 Index No. REACH No. 01-2119555270-46-0000 | Aquatic Chronic 1:H410 M Chr=1 |
| Benzoic Aldehyde (Benzaldehyde) | <0,03% | CAS No. 100-52-7 EC No. 202-860-4 Index No.605-012-00-5 REACH No. 01-2119455540-44-0000 | Acute Tox. 4 ORAL H302 :H302 |
| Alcohol C-10 | < 0,01% | CAS No. 112-30-1 EC No. 203-956-9 Index No. REACH No.01-2119480407-35-xxxx | Eye Irrit. 2:H319 Aquatic Chronic 3 :H412 |
| Acetophenone | <0,01% | CAS No. 98-86-2 EC No. 202-708-7 Index No. REACH No.01-2119533169-37-xxxx | Acute Tox. 4 ORAL H302 :H302 Eye Irrit. 2:H319 |
| Hexanoic Acid | <0,01% | CAS No. 142-62-1 EC No. 205-550-7 Index No. REACH No.01-2119978228-24-0002 | Eye Dam. 1 :H318 Skin Corr. 1C :H314 |

SECTION 4 - FIRST-AID MEASURES

| | |
|---------------------|--|
| Inhalation | Move affected person to fresh air at once. Get medical attention if any discomfort continues |
| Ingestion | Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention immediately. |
| Skin contact | Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if symptoms are severe or persist after washing. |
| Eye contact | Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues. |

4.2. Most important symptoms and effects, both acute and delayed

General information Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. See Section 11 for additional information on health hazards.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

SECTION 5 - FIRE-FIGHTING MEASURES

5.1 Extinguishing media:

| | |
|---------------------------------------|--|
| Suitable extinguishing media | Extinguish with the following media: Foam, carbon dioxide or dry powder. |
| Unsuitable extinguishing media | Water. |

5.2. Special hazards arising from the substance or mixture

| | |
|-------------------------|------------------------|
| Specific hazards | Toxic gases or vapours |
|-------------------------|------------------------|

5.3. Advice for firefighters

| | |
|--|---|
| Protective actions during firefighting | Containers close to fire should be removed or cooled with water. |
| Special protective equipment for firefighters | Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. |

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****Personal precautions**

Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage.

6.2. Environmental precautions**Environmental precautions**

Do not discharge into drains or watercourses or onto the ground.

6.3 Methods and material for containment and cleaning up**Methods for cleaning up**

Keep combustible materials away from spillage. Eliminate all sources of ignition. Provide adequate ventilation. Contain and absorb spillage with sand, earth or other non-combustible material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Wash thoroughly after dealing with a spillage

6.4. Reference to other sections**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with skin, eyes and clothing.

Usage precautions**Advice on general occupational hygiene**

Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep away from heat, sparks and open flame. Protect from freezing and direct sunlight

Storage precautions**7.3. Specific end use(s)****SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 Control parameters:**

Occupational exposure limits: Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits:

| INGREDIENTS | CAS No | TWA, 8 hours |
|---------------|----------|------------------------------|
| Alcohol C-8 | 111-87-5 | TWA= 10* mg/m ³ |
| Hexanoic Acid | 142-62-1 | TWA= 5* mg/m ³ |
| Hexan-2-one | 110-66-6 | TWA= 0.70* mg/m ³ |

| | | |
|---------------------------------|----------|-----------------------------|
| Isoamyl Acetate | 123-92-2 | TWA= 270* mg/m ³ |
| Methyl Amyl Ketone | 110-43-0 | TWA= 238* mg/m ³ |
| Ethyl Acetate | 141-78-6 | TWA= 200* mg/m ³ |
| Alcohol C-10 | 112-30-1 | TWA= 10* mg/m ³ |
| Benzyl Alcohol | 100-51-6 | TWA= 5* mg/m ³ |
| Benzyl Acetate | 140-11-4 | TWA= 5* mg/m ³ |
| Benzoic Aldehyde (Benzaldehyde) | 100-52-7 | TWA= 5* mg/m ³ |
| Acetophenone | 98-86-2 | TWA= 5* mg/m ³ |

* Republic of Latvia Cabinet Regulation No. 325 Adopted 15 May 2007 - Labour Protection Requirements when Coming in Contact with Chemical Substances at Workplaces

ADDITIONAL INFORMATION:

Information valid at the time of review of safety data sheet.

8.2. EXPOSURE CONTROLS:

ENGINEERING MEASURES: Comply with standard precautionary measures for working with chemicals. See Directive 2004/37/EG on the protection of workers from the risks related to exposure to carcinogens or mutagens at work.

HYGIENIC MEASURES: When using do not eat, drink or smoke.



GENERAL PROTECTIVE AND HYGIENIC MEASURES: Avoid contact with the eyes. Wash hands during work breaks and at the end of the shift. Provide skin protection plan.

RESPIRATORY PROTECTION: Avoid excessive inhalation of concentrated vapors. Ensure adequate ventilation. If workers are exposed to high concentrations, they must use appropriate, certified respirators. Wear suitable respiratory protection in case of large scale exposure. Suitable facemask in accordance with EN 140.

BODY PROTECTION: Protective clothing. Safety showers should be available in the immediate vicinity of any potential exposure. Wear appropriate protective clothing, overalls or suit, and similar boots in accordance with EN 365/367.

EYE PROTECTION: Wear appropriate safety glasses with side shields, in accordance with EN 166, when there is danger of possible eye contact. Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

Hygiene measures No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products.

HAND PROTECTION: Chemical protective gloves according to DIN EN 374 with CE-labelling. Suitable material - nitril. 0.13 mm. Indication of permeation breakthrough time – 1 hour. Check the condition of protective gloves after each use for any damages like holes, cuts or tears. Do not wear protective gloves longer than necessary. After use of gloves apply skin-cleaning agents and skin cosmetics. Gloves for mechanical protection do not provide protection against chemicals.

RISK MANAGEMENT MEASURES: The operators shall be instructed adequately. The workplace shall be inspected regularly by competent personnel e.g. the safety representative.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**9.1. INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES**

| | |
|----------------------------|--|
| APPEARANCE: | Homogeneous transparent liquid , opalescence is allowed. |
| AUTOIGNITION TEMPERATURE | No spontaneous combustion |
| BOILING POINT: | |
| COLOUR | From colorless to brown |
| DECOMPOSITION TEMPERATURE: | No data available |
| DENSITY, 20 °C: | 0.9 – 1.6 g/cm ³ |
| FLASH POINT: | > 61 °C |
| FREEZING POINT: | No data available |
| FREEZING POINT: | No data available |

| | |
|--|-----------------------|
| KINEMATIC VISCOSITY | No data available |
| LOWER AND UPPER EXPLOSIVE LIMITS | Not explosive |
| MELTING POINT/MELTING RANG: | < 0 °C |
| ODOUR | Fragrance description |
| PARTITION COEFFICIENT N OCTANOL/WATER (LOG MEAN) | No data available |
| pH | No data available |
| RELATIVE VAPOR DENSITY | |
| SOLUBILITY IN ALCOHOL: | Soluble |
| SOLUBILITY IN WATER: | Limited solubility |
| VAPOR PRESSURE | No data available |

9.2. OTHER INFORMATION: No data available

SECTION 10: STABILITY AND REACTIVITY

| | |
|---|--|
| 10.1. REACTIVITY: | The product is stable and relatively inert under normal conditions of use, storage and transport. |
| 10.2. CHEMICAL STABILITY: | Under the conditions of use specified in Section 7, the product is stable. |
| 10.3. POSSIBILITY OF HAZARDOUS REACTION: | Under normal conditions of use, there is no information on dangerous reactions. |
| 10.4. CONDITIONS TO AVOID: | Contact with incompatible materials. |
| 10.5. INCOMPATIBLE MATERIALS: | Strong acids, strong bases, strong oxidants. |
| 10.6. HAZARDOUS DECOMPOSITION PRODUCTS: | No decomposition product of storage and handling conditions are followed. In case of fire, hazardous gases may form. |

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

SKIN CONTACT

| | |
|-----------------------------|---|
| Acute toxy | Calculated ATEmix (LD50) = ATEmix>30000 mg/kg. Ingredients of unknown toxicity: 28,32 % 2 000 < ATEmix > ∞ mg/kg. Is classified as Not Classified |
| Corrosion/irritation | Classified as Not classified – based on available data, the classification criteria are not met, . |
| Sensitisation | Not classified – based on available data, the classification criteria are not met. |
| Carcinogenicity | Classified as Not classified – based on available data, the classification criteria are not met, . |
| Mutagenicity | Not classified – based on available data, the classification criteria are not met. |

INHALATION

| | |
|-----------------------------|---|
| Acute toxy | Calculated ATEmix (LC50) = 2 145,88 mg/l. Ingredients of unknown toxicity: 99,8 % 20 < ATEmix > ∞ mg/l. Is classified as Not Classified |
| Corrosion/irritation | Classified as Not classified – based on available data, the classification criteria are not met, . |
| Sensitisation | Not classified – based on available data, the classification criteria are not met. |
| Carcinogenicity | Classified as Not classified – based on available data, the classification criteria are not met, . |

Mutagenicity Not classified – based on available data, the classification criteria are not met.

INGESTION

Acute toxic Calculated ATEmix (LD50) = 18 448,2 mg/kg. Ingredients of unknown toxicity: 28,16 % $2\ 000 < ATEmix > \infty$ mg/kg. Is classified as Not Classified

Sensitisation Not classified – based on available data, the classification criteria are not met.

Carcinogenicity Classified as Not classified – based on available data, the classification criteria are not met, .

Mutagenicity Not classified – based on available data, the classification criteria are not met.

Reprotoxicity Classified as Not classified – based on available data, the classification criteria are not met.

EYE CONTACT

Corrosion/irritation Classified as Not classified – based on available data, the classification criteria are not met.

Toxicological information:

| Ingredients Name: | CAS No. | LD50 (oral) | LD50 (Dermal) | LC50 (Inhalation) |
|------------------------------------|-------------------------|-------------------|------------------|----------------------|
| Coumarine | 91-64-5 | 520 mg/kg bw | | |
| Allyl Caproate | 123-68-2 | 393 mg/kg | 820 mg/kg | No data |
| Benzyl Benzoate | 120-51-4 | 2 000 mg/kg | | |
| Fixolide (Kevolid, Tonalid) | 21145-77-7 1506-02-1 | 920 mg/kg | | |
| Allyl Cyclo Hexyl Propionate | 2705-87-5 | 585 mg/kg | No data | No data |
| Benzyl Alcohol | 100-51-6 | 1 580 mg/kg | | 4,178 mg/l |
| Methyl Amyl Ketone | 110-43-0 | 1 600 mg/kg | | 16,7 mg/l |
| Benzoic Aldehyde (Benzaldehyde) | 100-52-7 | 1 430 mg/kg bw | | |
| Acetophenone | 98-86-2 | 2 081 mg/kg | | |

11.2. PRIMARY IRRITANT EFFECT:

11.2.1 ENDOCRINE DISRUPTING PROPERTIES: Musk 50 IPM, Benzyl Salicylate, Fixolide (Kevolid, Tonalid), BHT

11.3. SENSITISATION: Classified as Skin Sens. 1B.

11.4 CHRONIC EFFECT: Not classified – based on available data, the classification

11.5 TARGET ORGANS: Not classified – based on available data, the classification

11.6. CARCINOGENICITY: Not classified – based on available data, the classification

11.7. MUTAGENICITY: Not classified – based on available data, the classification

11.8. REPROTOXICITY: Not classified – based on available data, the classification

SECTION 12: ECOLOGICAL INFORMATION

12.1. TOXICITY:

No ecotoxicological research has been carried out on this product.

Ecotoxicity - Toxic to aquatic organisms: (M × 10 × Chronic Category 1) + Chronic Category 2 ≥ 25 % = 45,22 ≥ 25 ⇒ Hazardous to the aquatic environment — Chronic Category 2

Ingredients Toxicity:

AQUATIC TOXICITY:

| | |
|-------------|--------------------------------------|
| Musk 50 IPM | |
| 1222-05-5 | |
| EC50/72H | 854 µg/L (Aquatic algae and cyanoba) |

| | |
|--------------------------------------|--|
| EC50/48 H | 300 µg/L(Aquatic invertebrates) |
| LC50/96 H | 950 µg/L(Fish) |
| Ethylene Brassylate | |
| 105-95-3 | |
| EC50/72H | 14,579 mg/l(Aquatic algae and cyanoba) |
| EC50/96 H | 788 (Aquatic algae and cyanoba) |
| LC50/48 H | 2,67 mg/l(Aquatic invertebrates) |
| LC50/96 H | 2,13 mg/l(Fish) |
| D-Limonene | |
| 5989-27-5 8028-48-6 | |
| EC50/72H | 320 mg/l(Aquatic algae and cyanoba) |
| EC50/48 H | 250 mg/l(Aquatic algae and cyanoba) |
| EC50/48 H | 250 (Algae) |
| EC50/48 H | 510 mg/l(Aquatic invertebrates) |
| EC50/48 H | 408,5 mg/l(Aquatic invertebrates) |
| EC50/24H | 840 mg/l(Aquatic invertebrates) |
| EC50/21days | 188 mg/l(Aquatic invertebrates) |
| LC50/96 H | 720 mg/l(Fish) |
| EC50/96 H | 702 mg/l(Fish) |
| LC50/96 H | 590 mg/l(Fish) |
| EC50/96 H | 695 (Fish) |
| Coumarine | |
| 91-64-5 | |
| EC50/96 H | 1,452 mg/l(Algae) |
| EC50/48 H | 36,9 mg/l(Aquatic invertebrates) |
| LC50/48 H | 8,012 mg/l(Aquatic invertebrates) |
| LC50/96 H | 2,94 mg/l(Fish) |
| Allyl Caproate | |
| 123-68-2 | |
| EC50/72H | 4 600 (Aquatic algae and cyanoba) |
| EC50/48 H | 2 mg/l(Aquatic invertebrates) |
| LC50/96 H | 117 (Fish) |
| LC50/72H | 117 (Fish) |
| LC50/48 H | 117 (Fish) |
| LC50/24H | 201 (Fish) |
| Hexyl Cinnamic Aldehyde Alpha | |
| 101-86-0 165184-98-5 | |
| EC50/72H | 65 (Algae) |
| EC50/48 H | 475 (Aquatic invertebrates) |
| LC50/96 H | 1,7 mg/l(Fish) |
| Benzyl Salicylate | |
| 118-58-1 | |
| EC50/72H | 1,29 mg/l(Aquatic algae and cyanoba) |
| LC50/48 H | 2,25 mg/l(Aquatic invertebrates) |
| EC50/48 H | 1,16 mg/l(Aquatic invertebrates) |
| EC50/24H | 1,21 mg/l(Aquatic invertebrates) |
| LC50/24H | 4,34 mg/l(Aquatic invertebrates) |
| LC50/96 H | 1,03 mg/l(Fish) |
| Amberwood F (Boisambre Forte) | |
| 58567-11-6 | |

| | |
|---|---|
| EC50/72H | 2 mg/l(Aquatic algae and cyanoba) |
| EC50/48 H | 1,6 mg/l(Aquatic invertebrates) |
| LC50/96 H | 1,9 mg/l(Fish) |
| Sandal Mysore Core (Landalmysore Core) | |
| 28219-60-5 | |
| EC50/72H | 702,449 µg/L(Aquatic algae and cyanoba) |
| EC50/96 H | 995 µg/L(Aquatic algae and cyanoba) |
| LC50/48 H | 486 µg/L(Aquatic invertebrates) |
| EC50/48 H | 35,538 µg/L(Aquatic invertebrates) |
| Benzyl Benzoate | |
| 120-51-4 | |
| EC50/72H | 311 (Aquatic algae and cyanoba) |
| LC50/48 H | 7,77 mg/l(Aquatic invertebrates) |
| EC50/48 H | 3,09 mg/l(Aquatic invertebrates) |
| LC50/24H | 11 mg/l(Aquatic invertebrates) |
| LC50/96 H | 2,32 mg/l(Fish) |
| EC50/24H | 4,26 mg/l(Fish) |
| Ethyl Acetate | |
| 141-78-6 | |
| EC50/48 H | 5,6 g/l(Algae) |
| LC50/96 H | 230 mg/l(Fish) |
| EC50/96 H | 220 mg/l(Fish) |
| Isoamyl Acetate | |
| 123-92-2 | |
| EC50/48 H | 42 mg/l(Aquatic invertebrates) |
| LC50/96 H | 34 mg/l(Fish) |
| Fixolide (Kevolid, Tonalid) | |
| 21145-77-7 1506-02-1 | |
| EC50/72H | 625 µg/L(Aquatic algae and cyanoba) |
| EC50/72H | 800 µg/L(Aquatic invertebrates) |
| LC50/96 H | 1,49 mg/l(Fish) |
| Linalool | |
| 78-70-6 | |
| EC50/96 H | 122,5 mg/l(Algae) |
| EC50/96 H | 59 mg/l(Aquatic invertebrates) |
| LC50/96 H | 27,8 mg/l(Fish) |
| LC50/72H | 27,8 mg/l(Fish) |
| LC50/48 H | 27,8 mg/l(Fish) |
| Allyl Cyclo Hexyl Propionate | |
| 2705-87-5 | |
| EC50/72H | 2,55 mg/l(Algae) |
| EC50/96 H | 3,45 mg/l(Algae) |
| EC50/48 H | 3,8 mg/l(Aquatic invertebrates) |
| EC50/24H | 7,7 mg/l(Aquatic invertebrates) |
| LC50/96 H | 130 (Fish) |
| Benzyl Alcohol | |
| 100-51-6 | |
| EC50/72H | 500 mg/l(Algae) |
| EC50/96 H | 76,828 mg/l(Algae) |
| LC50/48 H | 260,415 mg/l(Aquatic invertebrates) |
| EC50/48 H | 230 mg/l(Aquatic invertebrates) |

| | |
|--|--------------------------------------|
| EC50/21days | 66 mg/l(Aquatic invertebrates) |
| LC50/96 H | 460 mg/l(Fish) |
| LC50/72H | 460 mg/l(Fish) |
| LC50/48 H | 770 mg/l(Fish) |
| LC50/24H | 770 mg/l(Fish) |
| Methyl Amyl Ketone | |
| 110-43-0 | |
| EC50/48 H | 99,1 mg/l(Aquatic invertebrates) |
| LC50/96 H | 131 mg/l(Fish) |
| Benzyl Acetate | |
| 140-11-4 | |
| EC50/72H | 101 mg/l(Algae) |
| EC50/48 H | 17 mg/l(Aquatic invertebrates) |
| LC50/96 H | 4 mg/l(Fish) |
| Alcohol C-8 | |
| 111-87-5 | |
| EC50/48 H | 6,5 mg/l(Algae) |
| EC50/24H | 20 mg/l(Aquatic invertebrates) |
| LC50/96 H | 13,3 mg/l(Fish) |
| BHT | |
| 128-37-0 | |
| EC50/72H | 5 120 µg/L(Algae) |
| EC50/96 H | 758 µg/L(Algae) |
| LC50/96 H | 384,5 µg/L(Fish) |
| Benzoic Aldehyde (Benzaldehyde) | |
| 100-52-7 | |
| EC50/72H | 33,1 mg/l(Aquatic algae and cyanoba) |
| EC50/48 H | 19,7 mg/l(Aquatic invertebrates) |
| EC50/24H | 50 mg/l(Aquatic invertebrates) |
| EC50/24H | 50 mg/l(Aquatic invertebrates) |
| LC50/96 H | 13,8 mg/l(Fish) |
| LC50/96 H | 1,07 mg/l(Fish) |
| Alcohol C-10 | |
| 112-30-1 | |
| EC50/72H | 1,5 mg/l(Algae) |
| LC50/96 H | 3,1 mg/l(Aquatic invertebrates) |
| LC50/96 H | 2,4 mg/l(Fish) |
| Acetophenone | |
| 98-86-2 | |
| EC50/72H | 86,4 mg/l(Aquatic algae and cyanoba) |
| EC50/48 H | 528 mg/l(Aquatic invertebrates) |
| LC50/96 H | 162 mg/l(Fish) |
| EC50/96 H | 162 mg/l(Fish) |
| Hexanoic Acid | |
| 142-62-1 | |
| EC50/72H | 54,35 mg/l(Algae) |
| EC50/72H | 52,3 mg/l(Aquatic algae and cyanoba) |
| EC50/48 H | 72 mg/l(Aquatic algae and cyanoba) |
| LC50/21days | 52,2 mg/l(Aquatic invertebrates) |

| | |
|-------------|----------------------------------|
| EC50/21days | 46,8 mg/l(Aquatic invertebrates) |
| LC50/96 H | 88 mg/l(Fish) |

12.2. PERSISTENCE AND**DEGRADABILITY:**

May cause long-term adverse effects in the aquatic environment.

ASSESSMENT**BIODEGRADATION AND****ELIMINATION:**

No data available

12.3. BIOACCUMULATIVE POTENTIAL

No further relevant information available. Low potential for bioaccumulation: (log Powcalculated = 223,876)

| Chemical Name | CAS No. | Partition Coefficient |
|---------------|-----------|-----------------------|
| Mineral oil | 8042-47-5 | 0,6748 |

12.4. MOBILITY IN SOIL:

The product is partially soluble in water. Adsorbs to soil and has low mobility.

GENERAL NOTES:

Sewages that contain this product may not be released into the aquatic environment without preliminary treatments.

12.5. RESULTS OF PBT UN vPvB ASSESSMENT:

This mixture does not contain substances that meet the PBT or vPvB criteria of REACH, annex XIII.

12.6. ENDOCRINE DISRUPTING PROPERTIES:

Musk 50 IPM,Benzyl Salicylate,Fixolide (Kevolid, Tonalid),BHT

12.7. OTHER ADVERSE EFFECTS:**Global Warming Potential**

Do not may contribute to the greenhouse effect.

SECTION 13: DISPOSAL CONSIDERATIONS**13.1. WASTE TREATMENT METHODS:**

Dispose of in accordance with local and national regulations.

Product residues:

Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues, impregnated wipes and non-empty pack as hazardous waste.

Additional warning:

None.

European waste catalogue:

Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.

Local legislation:

Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

EUROPEAN WASTE CATALOGUE

| EWC CODE | Description |
|----------|--|
| 07 | <u>Wastes from organic chemical processes:</u> |
| 07 07 | wastes from the MFSU of fine chemicals and chemical products not otherwise specified |
| 07 07 99 | wastes not otherwise specified |

CONTAMINATED PACKAGING:

Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues, impregnated wipes and non-empty pack as hazardous waste.

RECOMMENDATION:

Avoid release to the environment.

SECTION 14. TRANSPORT INFORMATION:

| | |
|--|--|
| 14.1. UN number | UN 3082 |
| 14.2. UN proper shipping name | UN 3082 Environmentally hazardous substance, liquid, N.O.S. (Allyl Heptanoate, 7-Acetyl-1,1,3,4,4,6-Hexamethyltetraline) |
| 14.3. TRANSPORT HAZARD CLASS (ES): | 9 |
| ADR, IATA, IMDG CLASS | |
| DANGER LABEL: | 9 |
| 14.4. PACKING GROUP: | III |
| ADR, IATA, IMD | |
| 14.5. ENVIRONMENTAL HAZARDS: MARINE POLLUTANT | Yes |
| 14.6. SPECIAL PRECAUTIONS FOR USER: | Read MSDS and emergency procedures before handling |
| 14.7. TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE: | Not established. Packaged liquids are not considered bulk. |

SECTION 15: REGULATORY INFORMATION

| | |
|--|--|
| 15.1. SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE: | REGULATION (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. DIRECTIVE 2006/11/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 15 February 2006 on pollution caused by certain dangerous substances discharged into the aquatic environment of the Community. REGULATION (EC) No 1272/2008 (CLP) of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. COMMISSION REGULATION (EU) No 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the REACH. |
| INFORMATION ABOUT LIMITATION OF USE: | Take note of Directive 94/33/EC on the protection of young people at work. Take note of Directive 92/85/EC on the safety and health of pregnant women at work. |
| 15.2. CHEMICAL SAFETY ASSESSMENT: | Not applicable. |

SECTION 16: OTHER INFORMATION

Full text of the classifications, including the indication of danger, the hazard symbols and the hazard statements, mentioned in section 2 or 3:

Revisions are mentioned by a black stroke in left margin.

| | |
|------|--|
| H225 | Highly flammable liquid and vapour. |
| H226 | Flammable liquid and vapour. |
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H311 | Toxic in contact with skin. |
| H312 | Harmful in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H331 | Toxic if inhaled. |
| H332 | Harmful if inhaled. |
| H335 | May cause respiratory irritation. |
| H336 | May cause drowsiness or dizziness. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| P261 | Avoid breathing dust/fumes/gas/mist/vapours/spray. [As modified by IV ATP] |
| P272 | Contaminated work clothing should not be allowed out of the workplace. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. [As modified by IV ATP] |
| P501 | Dispose of contents/container according to local, regional, national, territorial, provincial, and international regulation. |

ABBREVIATIONS AND ACRONYMS:

| | |
|-------|---|
| PBT: | Persistent, bioaccumulative, toxic |
| vPvB: | Very persistent, very bioaccumulative |
| EC: | European Inventory of Existing Commercial Chemical Substances |
| CAS: | Chemical Abstracts Service (division of the American Chemical Society) |
| ADR: | European Agreement concerning the International Carriage of Dangerous Goods |
| IATA: | International Air Transport Association |
| IMDG: | International Maritime Code for Dangerous Goods |
| LC50: | Median (50 %) lethal concentration |
| LD50: | Median (50%) lethal dose |
| EC50: | Effective concentration, 50 percent |
| CLP: | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and Mixtures |
| ECHA: | European Chemicals Agency, Helsinki (http://echa.europa.eu/home_en.asp) |
| TWA: | Time Weighted Average |

IBC code: International Bulk Chemical Code

MARPOL: International Convention for the Prevention of Pollution From Ships

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

UN: United Nations

ATE: Acute Toxicity Estimate

The information given in this MSDS was obtained from current and reliable sources. However, these data are provided without any warranty, expressed or implied, regarding their correctness or accuracy. Since the conditions of use, handling, storage, and disposal of this product are beyond control, it is the responsibility of the user both to determine safe conditions for use as well as to assume liability for loss, damage, and expenses arising out of improper use. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS.